

HYBRID AG

Post-Harvest Nutrient Program



Post-harvest nutrition applications are vital to ensuring maximum crop potential for the following season.

Post Harvest is a critical point of influence for next season's crop potential.

Nutrients of importance at this stage are:

- Calcium
- Magnesium
- Boron
- Zinc
- Copper
- Nitrogen as Urea

What factors are influenced at post-harvest?

- Number of buds
- Bud size and uniformity
- Energy stored within the bud
- Blossom size and pollination
- Cell division and fruit firmness
- Spur leaf size for fruit fill

The Hybrid-Ag Post-Harvest Program gives us a better return blossom and consistent fruit set.



Scan this QR code with your mobile phone camera to view our Post-Harvest Webinar on YouTube.



At Hybrid-Ag, we have developed a robust, proven and effective post-harvest program, which is easy to execute and can be used in a wide range of tree crops.

The ideal program consists of foliar and fertigation applications with a further heavy foliar spray to assist with leaf drop and nutrient applications.

POST-HARVEST PROGRAM

Product	Rate	Application Type
0-30 Days After Harvest		
Agri-Vive Post Harvest Boost	10L/Ha	Foliar
Power-N	10L/Ha	Foliar
Opti-Trace Copper	300ml/Ha	Foliar
Multi-N	40L/Ha	Fertigation
7-21 Days After First Application		
Agri-Vive Post Harvest Boost	10L/Ha	Foliar
Power-N	10L/Ha	Foliar
Opti-Trace Copper	300ml/Ha	Foliar
Multi-N	40L/Ha	Fertigation

Soil Test

SENESCENCE/ LEAF DROP PROGRAM

Product	Rate	Application Type
Power-N	30L/Ha	Foliar
Opti-Trace Zinc	10L/Ha	Foliar
Opti-Trace Magnesium	4L/Ha	Foliar

Soil Bio-Primer

*Some crops will require additional applications of trace elements depending on various factors.



Post-Harvest Products

Please contact Hybrid-Ag on 03 5722 7555 for more information or to find your nearest dealer.

MACRO-NUTRIENTS RANGE

20 LITRES

AGRI-VIVE® POST HARVEST BOOST

RATES

APPLICATION
5-20L

per hectare or as advised

DILUTION
1:20

or as advised. Store in cool place away from sunlight. Stir well before use.

HYBRID-AG

TYPICAL ANALYSIS / MAJOR ELEMENTS (W/W)			
Kelp, Fish, Fucoxanthin	14.0%	Magnesium	1.2%
Nitrogen	10.7%	Sulphur	0.1%
Calcium	0.2%	Iron	0.1%
Phosphorus	5.7%	Trace Elements	0.5%
Potassium	5.5%	Carbohydrates	9.0%

Batch No: 20210908

MACRO-NUTRIENTS RANGE

LITRES

NUTRI-CORE MULTI N

RATES

APPLICATION
5-200L

per hectare or as advised

DILUTION
1:20

or as advised. Store in cool place away from sunlight. Stir well before use.

HYBRID-AG

TYPICAL ANALYSIS / MAJOR ELEMENTS (W/W)	
Nitrogen	19.5%
Calcium	5.7%
Fucoxanthin	1.7%
Carbohydrates	10.0%

Batch No:

MACRO-NUTRIENTS RANGE

LITRES

OPTI-MAG

RATES

APPLICATION
1-4L

per hectare or as advised

DILUTION
1:20

or as advised. Store in cool place away from sunlight. Stir well before use.

HYBRID-AG

TYPICAL ANALYSIS / MAJOR ELEMENTS (W/W)	
Sulfur	5.8%
Magnesium	4.4%
Fucoxanthin	2.0%
Carbohydrates	5.0%

Batch No:

MACRO-NUTRIENTS RANGE

20 LITRES

POWER-N®

RATES

APPLICATION
5-200L

per hectare or as advised

DILUTION
1:20

or as advised. Store in cool place away from sunlight. Stir well before use.

HYBRID-AG

TYPICAL ANALYSIS / MAJOR ELEMENTS (W/W)	
Nitrogen	22.0%
Fucoxanthin	5.0%
Carbohydrates	10.0%

Batch No: 20210316

TRACE ELEMENTS RANGE

20 LITRES

OPTI-TRACE® COPPER

RATES

APPLICATION
1-4L

per hectare or as advised

DILUTION
1:20

or as advised. Store in cool place away from sunlight. Stir well before use. NASSA certified 3600m.

HYBRID-AG

TYPICAL ANALYSIS / MAJOR ELEMENTS (W/W)	
Copper	8.1%
Fucoxanthin	5.0%
Sulfur	4.1%
Carbohydrates	21.0%

Batch No: 20210305

TRACE ELEMENTS RANGE

LITRES

OPTI-TRACE® ZINC

RATES

APPLICATION
1-4L

per hectare or as advised

DILUTION
1:20

or as advised. Store in cool place away from sunlight. Stir well before use. NASSA certified 3600m.

HYBRID-AG

TYPICAL ANALYSIS / MAJOR ELEMENTS (W/W)	
Zinc	10.0%
Sulfur	5.0%
Fucoxanthin	5.0%
Carbohydrates	19.3%

Batch No:



• 52 Buckler Road, Wangaratta VIC 3677
• 03 5722 7555 • www.hybridag.com.au